DDCA Short Notice Inviting Tenders

Delhi & District Cricket Association (DDCA) invites sealed request for proposal (Short Notice Tender) from eligible Contractors for "Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi. EMD: Rs. 54,250/-The Bid forms and other details can be obtained from the website www.ddca.in

INDEX

Name of work: -"Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi.

Title	
ride	Page Nos.
Short Notice Inviting Tenders	1
Index	2
Notice inviting Bids	3
Short Notice Tender	4-13
Annexure-B (Price Bid Performa)	14-18
APPENDIX-I (Site visit certificate)	19
Form-2(FINANCIAL INFORMATION)	20
	Index Notice inviting Bids Short Notice Tender Annexure-B (Price Bid Performa) APPENDIX-I (Site visit certificate)

Approved by

Tender & Purchase Committee, DDCA

SHORT NOTICE INVITING BIDS

Name of work: -"Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi.

Earnest Money: Rs. 54,250/- only by way of a demand draft/ Bank Guarantee from a nationalized or scheduled bank in favour of DDCA Arun Jaitley Stadium, New Delhi.

Time Allowed : 30 days

Certified that this Tender Document contains 21 pages as numbered in chronological order (Excluding File Cover)

(Signature)

Tender & Purchase Committee, DDCA

DELHI DISTRICT CRICKET ASSOCIATION ARUN JAITLEY STADIUM, NEW DELHI-110002

1. INVITATION FOR SHORT NOTICE TENDER

Delhi & District Cricket Association (DDCA) invites sealed request for proposal (Short Notice Tender) from reputed Eligible Contractors for "Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi." to provide world class back-end utility services to all stake holders and enhanced amenities to the spectators especially in view of upcoming Mens ODI World Cup 2023.

All bids must conform to the guidelines set out in the Short Notice Tender.

The Short Notice Tender is invited in single bid system from competent company / Firm / Agency, who satisfy the eligibility criteria enumerated in the tender document (Short Notice Tender). Interested Agencies may download the tender documents from the DDCA website htts://ddca.in/ddca-document/tender.

The request for proposal (Short Notice Tender) is being called to invite bids for the above work. The Price Bid of only the approved bidders who satisfy the eligibility criteria shall be opened. Mens ODI World Cup 2023 matches are scheduled in this stadium from October, 2023 which is very near and hence the work is of utmost urgency. Due to limitation of time, DDCA reserves the right to split the work and award to more than one agency.

The BID in sealed envelope marked to the captioned address containing Short Notice Tender may be dropped in drop box specially kept for subject Short Notice Tender mentioning Request for Proposal (Short Notice Tender) for "Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi" on the top cover at following address:

Delhi & District Cricket Association (DDCA) Arun Jaitley Stadium Feroz Shah Kotla Ground, New Delhi-110002

The bid must be submitted in following sealed envelopes:

- 1st sealed Envelope containing EMD duly mentioned as EMD on top of it.
- 2nd sealed Envelope containing Eligibility Documents (as per requirements of clause 9 of Short Notice Tender) duly super scribed as Eligibility Documents on top of it. Appendix -1(Proof of site inspection prior to bid submission) must also be enclosed by the bidder in this envelop along with his eligibility documents.
- 3rdsealed Envelope containing Priced BOQ in the prescribed format as per Annexure-B duly super scribed as Price Bid Documents on top of it.

 All the above three Envelopes must be kept in a big envelope and submitted in drop box as above

Note: The rates in price bid to be quoted without GST. The GST shall be reimbursed to the contractor on production of payment of the same by the contractor to the concerned authorities.

SI.	Description	Date	Time
No.	·		
1.	Tender Document Publishing Date	08.08.2023	11.00 AM
2.	Document Download Start Date	08.08.2023	11.00 AM
3.	Bid Submission Start Date	09.08.2023	11.00 AM
4.	Bid Submission End date	13.08.2023	15.00
5.	Bid Opening Date and time for	To be intimated latter	
	Eligibility documents		

DDCA reserves the right to accept or reject any / all Short Notice Tender without assigning any reason whatsoever.

2. Background

- a) Arun Jaitley Stadium is an International Cricket Stadium.
- b) There is a requirement to "Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi" to provide world class back-end utility services to all stake holders and enhanced amenities to the spectators especially in view of upcoming Men's ODI World Cup 2023.

3. Aims and objectives

- a) Board of Control for Cricket in India (BCCI) is going to host the 13th Men's ODI World cup 2023 through October and November 2023. The event being of international importance as it is not only live telecasted, but the sportspersons/players from India and different countries of the world will participate in the event in thus stadium apart from additional pressure of spectators who wish to witness the matches in the stadium. The spectators also include VIPs/VVIPs for such an international event of world fame. DDCA is likely to host some of the matches of the 13th Men's ODI World cup 2023 and endeavor to make the event a very success.
- b) The submission of Short Notice Tender does not guarantee the allotment of the contract. DDCA reserves the right to cancel the Short Notice Tender and/or contract without assigning any reason and no damages or claims shall be payable by DDCA on account of this cancellation.

4. Description of Work

"Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi" to provide world class back-end utility services to all stake holders and enhanced amenities to the spectators especially in view of upcoming Men's ODI World Cup 2023.

5. Basic Scope of work and services

The prospective bidder is required to "Do the work of "Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi". Brief detail works as per detail given below: -

- i. Providing 8 mm thick laminated wooden flooring over existing old tile flooring& skirting in Media Box.
- ii. Providing 3-4 mm thick epoxy flooring over existing old tile flooring in part area.
- Providing and fixing Aluminum Composite Panels (ACP) of exterior grade for cladding of Alucobond / Alstrong / Eurobond or approved equivalent make for external wall / column / canopy cladding.
- iv. Providing and fixing aluminum work for doors, windows, ventilators and partitions.
- v. Providing and fixing artificial synthetic green long and fine yarns grass over M.S chequered sheet covering of open Lounge area for good looking.
- vi. Supplying, erection and testing of approved make 3 nos. electric Ceiling fan of 1200 mm size in balcony of Media Box.
- vii. Replacement of existing damaged out lived False Ceiling.
- viii. Replacement of existing front Frameless Patch Fitting Door with 12mm thick toughened glass with frame less glass.
- ix. Painting of the walls, ceiling and other places where ever required.
- x. Providing and fixing 10x10x7.50 cm Granite stone (cobble stone) block hand cut and chisel dressed over two damaged terraces open to Media Boxes.
- xi. Cleaning and polishing (buffering) of old existing floor adjacent to Media Box where wooden flooring not to be done.

Scope of work as mentioned above is provisional and can be increased/ Decreased at the stage of award of tender or during execution period without assigning any reason.

Contractor shall mandatorily prepare and seek approval of the sample material from the DDCA prior to execution of the same.

Warranty period: The entire work will be having a warranty of minimum 3 years against any manufacturing/workmanship defect. An amount of 5% of the value of the work done shall be recovered from the bills of the contractor and same will be held as security for the work and may be released against Bank Guarantee from scheduled bank.

6. Evaluation criteria and method of evaluation (Selection process):

- a) DDCA has invited bids for the work for evaluating the proposal comprising of Eligibility Documents and Price bid. In first stage, legibility documents as specified in **clause 9** of Short Notice Tender shall be opened and the eligible firms shall be qualified for second stage, i.e., for opening of price bids. Incomplete applications shall be treated as 'non-responsive' and summarily rejected. In the second stage, Price Bids only of those Bidders will be opened and evaluated who qualify first stage.
- b) THE PARTIES /BIDDERS SHALL ENSURE THAT THE BID MUST BE SUBMITTED IN THE PRESCRIBED MANNER, ANY VIOLATION SHALL RENDER THE BID LIABLE TO BE REJECTED.

7. CARE OF THE BUILDING

Care shall be taken by the contractor while handling and installing the various equipment and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste materials arising out of the installation from the site of work.

8. DISQUALIFICATION FROM THE SELECTION PROCESS

Bidders are liable to be disqualified, if they:

- 1. Make misleading or false representation, or deliberately suppress any information in the forms, statements and enclosures required to be submitted by them.
- 2. Have hidden the record of poor performance, such as being barred/blacklisted, abandoning projects, not completing the assigned projects properly, or of financial failure/ weaknesses.
- 3. Resort to any unethical means, like attempting to influence the evaluation committee officials.

9. Eligibility Criteria: As under:

SI.	Criteria	Supporting Compliance Documents			
1.	The applicant shall be a company/ firm/partnership/proprietorship firm registered under Indian Companies Act /Partnership Act and have its registered office in India.	Company: Copy of Certificate of Incorporation. Partnership/ Proprietorship: Partnership Deed			
2	The applicant should have an average annual financial turnover of Rs 8,13,800/- during the immediate last three consecutive financial years.	Turnover certificate from CA with UDIN Number in form-2 attached. The value of annual turnover figures shall be brought to current value by enhancing the actual turnover figures at simple rate of 7% per annum.			
3	The firm /applicant should not be blacklisted by any central Govt/ state Govt/ PSU/ Govt Bodies	Self- declaration certificate needs to be			
4	GST Registration Certificate	Copy of Certificate to be enclosed			
5	Proof of Site Inspection Prior to Submission	The Bidder must get Appendix-1(Proof of site Inspection prior to bid submission) signed by the PMC DDCA/CE-Civil (Engineer), DDCA. the Appendix -1 needs to be submitted along with the eligibility documents of the bid.			
6	Applicant should not have, during the last five years, either failed to perform on any agreement, or have been expelled from any project or agreement or have any agreement terminated for breach by the Applicant.	The applicant should give a self-declaration/affidavit.			
7	The applicant should not be DDCA member/employee or the relative of DDCA member/employee	The applicant should give a self-declaration/affidavit.			

10. **Completion Period:** 30 days from the date of award of work.

11. Payment Terms:

- i) 10% Mobilization advance after award of work.
- ii) 50% payment of the cost of material supplied as per Specification at work site by the Contractor. The contractor has to submit the voucher for purchase of material.
- iii) 30% payment on successful completion of entire work.
- iv) 10% payment on handing over of work to DDCA.

12. **Penalty Clause**

In case of non-completion of the entire work within the stipulated time and if the delay is not attributable to site requirements, Liquidated Damages (LD) @ 1% per week (or fraction thereof) of the total cost of work awarded subject to a maximum of 10% of the gross value of work done or cost of work awarded, whichever is greater, shall be recovered from the bill of the successful bidder.

13. Performance Bank Guarantee

The earnest Money deposited by the Bidder will be retained as Performance Guarantee after award of work.

14. Security deposit (SD)

The person/persons whose tender(s) may be accepted (hereinafter called the contractor) shall permit DDCA at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running and final bill till the sum deducted will amount to security deposit of 2.5% of the tendered value of the work. Such deductions will be made and held by DDCA by way of Security Deposit.

During the warranty/Guarantee period if any defects and/or poor workmanship and/or fault in the installation is noticed then the same shall be rectified/repaired/replaced up to the satisfaction of DDCA by the contractor at his own cost and within a reasonable time as mentioned in DDCA notice failing which the rectifications/repairs/ replacements as the case may be shall be done by DDCA at the cost of the contractor form his SD amount, excess expenditure over and above the SD amount if any, shall be recovered by DDCA from the contractor and the balance amount of SD if left any shall be released without interest after the warranty/Guarantee period is over.

The security deposit as deducted above can be released against FDR issued by a scheduled bank.

15. TERMINATION OF CONTRACT

Subject to other provisions contained in this clause, the DDCA may, without prejudice to any other right or remedy against the Bidder in respect of any delay, inferior work, any claims for damages and/or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, by notice in writing absolutely determine the contract in any of the following cases:

- a. If the Bidder having been given by the DDCA a notice in writing that he failed to deliver the products expected of them during or at the end of the work and fails to comply with the requirement of such notice for a period of seven days thereafter.
- b. If the Bidder has, without reasonable cause, suspended the work or has failed to proceed with the work with due diligence so that in the opinion of the DDCA

(which shall be final and binding) he will be unable to perform the work satisfactorily and continues to do so after a notice in writing of seven days from the DDCA.

- c. If the Bidder fails to complete the work within the stipulated date or items of work with individual date of completion, if any stipulated, on or before such date(s) of completion and does not complete them within the period specified in a notice given in writing in that behalf by DDCA.
- d. If the Bidder persistently neglects to carry out his obligations under the contract and/ or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf by DDCA.
- e. If the Bidder shall offer or give or agree to give to any person in DDCA or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract DDCA.
- f. If the Bidder shall enter into a contract with DDCA in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer-in-Charge.
- g. If the Bidder shall obtain a contract with DDCA as a result of wrong Bidding or other non-bona fide methods of competitive Bidding or commits breach of agreement.
- h. If the Bidder being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Law. for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Law for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors.
 - i. If the Bidder being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.

- j. If the Bidder shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days.
- k. If the Bidder assigns, transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the DDCA.

When the Bidder has made himself liable for action under any of the cases aforesaid, the DDCA shall have powers:

- a) To determine the contract as aforesaid (of which termination notice in writing to the Bidder under the hand of DDCA shall be conclusive evidence). Upon such determination, the Earnest Money Deposit, Security Deposit if any already recovered and Performance Guarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of DDCA.
- b) After giving notice to the Bidder to measure up the work of the Bidder and to take such whole, or the balance or part thereof, as shall be un-executed out of his hands and to give it to another Bidder to complete the work. The Bidder, whose contract is determined as above, shall not be allowed to participate in the Bidding process for the balance work.
- c) To impose suitable penalty as it may determine in addition to claim damages/ losses.

In the event of above courses being adopted by DDCA, the Bidder shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid, the Bidder shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the DDCA has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.

In case, the work cannot be started due to reasons not within the control of the bidder within 1/8th of the stipulated time for completion of work or one month whichever is higher, either party may close the contract. In case bidder wants to close the contract, he shall give notice to the DDCA stating the failure on the part of DDCA. In such eventuality, the Performance Guarantee of the

bidder shall be refunded.

16. FORECLOSURE OF CONTRACT

If DDCA due to the abandonment or reduction of scope of works due to any reason whatsoever do not require the whole or any part of the works to be carried out, DDCA by giving a notice may foreclose the agreement. In such circumstances the contractor shall be paid for the submission and work stages for which approvals are already granted, the earnest money deposit and the Performance guarantee of the contractor shall be refunded, but no payment on account of interest, loss of profit or damages etc. shall be payable at all and the DDCA shall be at liberty to make full use of all or any of the drawings, designs or other documents prepared by the contractor.

17. SETTLEMENT OF DISPUTES

Except where otherwise provided in the contract, all disputes arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

If the contractor considers any work demanded of him to be outside the requirements of the contract, or disputes any drawings, record or decision given in writing by DDCA or if DDCA considers any act or decision of the contractor on any matter in connection with or arising out of the contract or carrying out of the work, to be unacceptable and is disputed, such party shall promptly within 15 days of arising of the disputes request the DDCA to constitute a Dispute Redressal Committee (DRC) within 15 days along with a list of disputes with amounts claimed if any in respect of each such dispute. The Dispute Redressal Committee (DRC) shall give the opposing party two weeks for a written response and give its decision within a reasonable period from the receipt of appeal of either party. The decision of Dispute Redressal Committee (DRC) shall be final and binding on the either party. The party shall however continue to complete the remainder work without awaiting the decision of the DRC.

18. ADDITIONAL CONDITIONS:

1. ALL HEIGHTS, LIFTS, LEADS AND DEPTHS

Unless otherwise specified in tender document, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing extra shall be payable to him on this account.

- 2. The Contractor shall cooperate with the other agencies working at site for smooth execution of the work.
- 3. Agency will provide authenticated copies of itemize bills of materials related to work to the DDCA.
- 4. Running Bill / Final Payment to the Contractor.

The contractor will measure the work done by him and prepare computerized bill

along with detailed measurements as per terms and conditions of the BOQ /contract, He will submit his computerized bill to the DDCA for checking and payment. The DDCA will check his bill and make the justified payment to him.

ANNEXURE-A (BOQ)

PRICE BID

Name of work:-Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi.

S.No.					
	Description	Unit	Qty.	Rate	Amount
1	'Supplying, fitting and fixing 8mm thick Laminated wooden Flooring Work conforming to EN13329:2006 with plank size not less than 1200 mm X 190 mm (with unilin/tongue-groove locking arrangement) having 0.2mm thick top abrasive layer over a decorative layer followed by a High-density fiberboard (HDF) having density > 850 kg/m3 substrate core over a resin saturated backing layer and installing through unilin or tongue- groove system (having locking strength not less than 1000 kg/m) over a 2 mm thick under layer polyurethane foam on polythene sheet 250 micron, over a smooth, flat, hard subfloor free from moisture (< 8%), grease etc. complete in all respect with requisite accessories like end profile, transition profile, reducer 'T' profile etc. wherever required and preparation of base including all other incidental works as per direction & satisfaction of Engineer in charge. Cost of Laminate Floor Accessories only (Skirting ,End edge, T-moulding,Reducer) shall have to be added separately, wherever required as directed by Engineer in Charge in approved shade & colour as per drawing specification (including all lead and lift)	- Control of the cont	- QOY	nace	, and and
	(Basic Rate :-Rs 280/- per sft)	sqm	196		
2	Supplying Laminate Floor Accessories (Skirting, End edge, T moulding Reducer) to 8mm thick Laminated wooden Flooring Work conforming to EN13329:2006 with plank size not less than 1200mmX 190 mm (with unilin/tongue-groove locking arrangement) having 0.2mm thick top abrasive layer over a decorative layer followed by a High-density fiberboard (HDF) having density > 840 kg/m3 substrate core over a rasin saturated backing layer and installing through unilin or tongue- groove system (having locking strength not less than 1000 kg/m) over a 2 mm thk under layer polyurethane foam on polythene sheet 250 micron, over a smooth, flat, hard subfloor free from moisture (< 8%), grease etc. complete in all respect as per direction & satisfaction of Engineer in charge.	rmt	40		
3	Providing and laying joint less 3-4 mm thick epoxy flooring to achieve perfect 0-0 level without any undulations on existing flooring after surface preparation by grinding/rubbing & cleaning the base floor, followed by epoxy primer on prepared surface followed by epoxy screed on primed surface followed by epoxy putty over screed and finally epoxy SL top, having materials of approved manufacture certified by Council of Scientific & Industrial Research (CFTRI) . Self-smooth glossy finish, all as per manufactures specifications inclusive of necessary curing, finishing and carrying all related operations for proper completion of work. (Make- MRF/FOBROCK/DR. FIXIT/CIPI or equivalent make. complete in all respect as per approved colour.	sqm	21		

				ı	1
4					
	Providing and fixing artificial synthetic green long and fine yarns grass, UV/water resistant with SBR latex backing eco-friendly durable high density 100 % PP (Poly Poplin) anti UV fiber.denier 12000 dtex, stitch rate 18 stitches per 10cm, stitch density 16800 stitches/m2, tufted weight 1830g/sqm approx. Roll size will be 25.00m X 2.00m (25mm thick)- weight 150kg- per roll.	sqm	80		
5	Providing and fixing Aluminum Composite Panels (ACP) of exterior grade for cladding of Alucobond / Alstrong / Eurobond or approved equivalent make for external wall / column / canopy cladding in combination of solid / Metallic colours, including all necessary frame work and complete weather sealing. The composite panel should consist of 3mm thermoplastic core of LDPE sandwiched between 2 skins of 0.5mm thick aluminum sheet (alloy designation 310S) making a total panel thickness of 4mm. The surface will be furnished with Lumiflon based flour carbon coating on top sides and service coating on reverse side. Coatings shall conform to specifications of specifications of ECCA / AAMA and conforming to the mechanical properties of panel as per detailed technical specifications. the system shall be fixed using GI brackets and stainless steel bolts and nuts complete with spring washers and cap nuts and all other necessary accessories. The bracket support shall be designed as per manufactures specification and shall withstand a wind pressure of 150 kg / sqm. all hardware shall corrosion resistant frame out of anodized				
	aluminum member.	sqm	21		
6	Providing and fixing aluminum windows (including frame, tubes, sections, shutter and handles) with float glass panes of 4.0 mm thickness, conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling, C.P. brass / stainless steel screws, complete in all aspects: a) For fixed portion:14 Gauge. Powder coated aluminum (minimum thickness of powder coating 50 micron). b) For shutters of windows 14 Gauge including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required. Powder coated aluminum (minimum thickness of powder coating 50 micron). (including dismantling of existing door				
7	frame and window if available) Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) (including dismantling of existing door frame and window if available).	sqm	5		

	a) for fixed portion:10 Gauge. Powder coated aluminum (minimum thickness of powder coating 50 micron)	sqm	5	
	b) For shutters of door, windows & ventilators 10 Gauge including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)Powder coated aluminum (minimum thickness of	34111	3	
	powder coating 50 micron).	sqm	10	
8	Providing and fixings. S 304 Grade D type door handle in existing door available at site.	each	8	
9	Supplying, erection and testing of approved make electric Ceiling fan of double ball bearing complete with standard down rod, canopy, hanging shackle, Aluminum blades, without regulator, A.C. 230-250 volts including connections with all necessary material complete of approved as required confirming to IS:374/2019 with up to date amendments. Ceiling Fan (ISI marked)-1200 mm Sweep, with minimum air delivery 210 m³/min and service value ≥ 4.00 as per BEE	Nos	3	
10	Providing and applying special putty in two coats based materials varnish, Belgium chalk, turpentine oil, white paint, safeda including sand papering for making the surface smooth for applying any or vinyl paints including all cost of material and labour etc. complete.	sqm	30	
11	Finishing with Duco paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete.	sqm	30	
12	Providing and fixing False Ceiling with Mineral Fiber Acoustic Ceiling Tiles of Armstrong/ USG/ Boral with MICROLOOK edges and having noise reduction properties laid on exposed grid system with 15mm wide Silhouette type T-section flanges of white colour, main runners spaced at 1200 mm c/c securely fixed to the soffit of structure with approved hangers at 1200 mm maximum c/c. Flush fitting 1200 mm crossed tees to be interlocked between main runners at 600 mm c/c to form 1200 x 600 modules. 1200mm cross tees to be crimped. 600 x 600 module to be formed by fixing 600 mm long flush fitting cross tees centrally between the 1200 cross tees. Ceiling tiles of Dune Premier of size 600 x 600 x 15 mm (thk.) to be placed in the grid. Rate to include making necessary cut-outs or openings for light fixtures, air conditioners and other utilities etc. complete to the satisfaction of Architect/DDCA .(including dismantling of existing false ceiling)	sqm	98	

13	Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanizing @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm center to center, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main 'T' at 600 mm center to center to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size(24x24X3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm center to center with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calcium silicate ceiling tiles of approved texture in the grid, including, cutting/making opening "for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanized steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm center to center along main 'T', bottom exposed with 24 mm of all T sections shall be pre-painted with polyester baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge. Note:- Only calcium silicate false ceiling area will be measured from wall to wall. No deduction shall be made for exposed frames/ opening (cut outs) having area less than 0.30 sqm. The calcium silicate ceiling tile shall have NRC value of	sqm	98	
14	Providing and fixing 10x10x7.50 cm Granite stone (cobble stone) block hand cut and chisel dressed on top, for paving in floors, drains etc. laid over 20mm thick base mortar 1:4 (1cement:4 sand) with joints 10mm wide filled with same mortar mixed with matching pigment including ruled pointing etc. complete as per direction of engineer-in charge.	sqm	32	
15	Providing and fixing front Frameless Patch Fitting Door with 12mm thick toughened glass with frame less glass fittings joining 2 glass & double action floor springs (Hettich/Dorma/Godrej) as per design. The item includes providing and fixing S.S. handle not less than 600mm long on both side of glass, locks and fittings (Haffle/Hettich/Ozone) as per the manufacturer's specifications etc. complete to the satisfaction of Architect/ DDCA.	sqm	32	
16	Providing & applying the walls, ceiling and elsewhere with Plastic Emulsion Paint (roller finish) after preparing the base by removing existing paint/ finish and applying 2- 3 coats of Birla white putty for making the surface plane & smooth and then applying 2 or more coats of plastic emulsion paint with final coat done with rollers as per manufacturer's specifications etc. complete to the satisfaction	cam	410	
17	of Architect/DDCA	sqm		
1/	Cleaning and polishing (buffering)of existing floor	sqm	400	

18	Taking out all the furniture and storage available in media room before start the flooring work , as per instruction of DDCA and refix the same after work is completed	L-S		
	Providing & fixing 12mm thick toughened Fixed Glass Partition in front of media buildings (ground side) glass fixed top ⊥ S.S.'u-channel and filling the joint with clear silicon between two glasses as per detail drgs complete to the satisfaction of Architect/ DDCA.			
19		sqm	21	
20	Providing & fixing 15mm thick toughened three layer safety Fixed Glass Partition in front of ground seating (ground side) glass fixed bottom S.S.'u-channel , making hole 50mm dia 6 nos in each glass partition and filling the joint with clear silicon between glass and frame as per existing at site as per detail drgs complete to the satisfaction of Architect/DDCA	sgm	81	
	Total	24	01	
	TOTAL			

Total in words Rs------)

Note: 1.The amount quoted is without GST. The GST shall be reimbursed to the contractor on production of payment of the same by the contractor to the concerned authorities.

APPENDIX -1

Site visit certificate

Name of work:-Renovation / upgradation of Second Floor Media Box in old Club House at Arun Jaitley Stadium at New Delhi.

PMC (Civil)/CE (Civil), DDCA

(Prior to date of bid submission)

Date of issue:

Form-2

FINANCIAL INFORMATION

Details to be furnished duly supported by figures in audited balance sheet, profit and loss account statement and acknowledged IT returns for the last three year duly certified by the Chartered Accountant.

Name of the Applicant:	

Particulars	Financial Year		
	2019-20	2020-21	2021-22
Gross Annual Financial Turnover from consultancy work (In Lakhs)			

Certified that the above financial information pertaining to the said applicant is correct and conforms with audited balance sheets,

Signature of Chartered Accountant with seal Applicant

Signature of

Note: Average Annual Turnover of last three audited financial years shall be considered. In case audited balance sheet for the latest financial is not available / audited yet, this shall be specifically mentioned. In case balance sheet for any year of these three preceding audited financial year is not provided, the gross turnover for that particular financial year will be treated as zero during evaluation.